

NIXA
ENTRANCE SYSTEMS

N100 SERIES
Single Swing
**Interior
Storefront
Door System**

Modern commercial entry
for offices, retail partitions,
and interior access points.

ENGINEERED | PRECISE | RELIABLE

[NIXADOORS.COM](https://nixadoors.com)

DESIGNED FOR MODERN INTERIOR ENVIRONMENTS.

The N100 Series is a prehung aluminum interior storefront door system built for durability, safety, and everyday performance in modern commercial spaces.



DETAILS THAT WORK EVERY DAY



The N100 Series is an interior storefront door system engineered for modern commercial spaces that need clean design, controlled access, and long-lasting daily performance.

BUILT FOR



Office
Suites



Conference
Rooms



Retail
Interiors



Interior Commercial
Partitions



Medical &
Professional Spaces




Reinforced Aluminum Frame

2.1 mm aluminum frame with 3.2 mm internal brackets supports durable commercial use.



Commercial Lever Handle

Lever-style commercial hardware provides secure access with a clean, modern interior look.




Interior Access Control

Keyed exterior access and interior thumb-turn support secure office control.




Advanced Sealing

998-grade silicone sealant helps create a durable weather-resistant bond.




Hidden Fastener Frame

Concealed channels create a clean finish with reduced visible hardware.




ADA Low-Profile Threshold

1/2 in. low-profile threshold supports smoother, more accessible entry.




Integrated Self-Closing System

Adjustable commercial closer supports smooth, controlled closing.



10 in. Kick Plate Protection

Heavy-duty kick plate helps protect against scuffs, carts, and foot traffic.



Laminated Safety Glass

1.3 mm PVB laminated glass improves safety, sound control, and impact resistance.



Continuous Hinge System

Full-height hinge helps maintain alignment and reduce sag.

N100 SERIES Single Swing

CONFIGURATIONS & TECHNICAL OVERVIEW



SWING OPTIONS



FINISH OPTIONS



TECHNICAL SPECIFICATIONS

Series	N100 Series Single Swing
Application	Interior commercial storefront door system
Door Size	36 in. × 84 in.
Frame Size	40 1/2 in. × 87 in.
Door Thickness	1.8 in.
Lock Type	Lever-style commercial lockset, thumb-turn inside / keyed outside
Closing System	Adjustable commercial door self-closer
Glass	Laminated safety glass with PVB interlayer
Frame Material	Aluminum frame system
Handle	Lever-style commercial hardware
Threshold	1/2 in. low-profile threshold
Hinges	Continuous hinge
Kick Plate	10 in. heavy-duty kick plate

BUILT FOR COMMERCIAL SPACES

Designed for office suites, conference rooms, retail interiors, medical spaces, and interior partitions.

