

NIXA
COMMERCIAL DOORS



N100 SERIES
Single Swing

Storefront Door System

Modern commercial
entry for offices, retail
partitions, and storefront
access points.



ENGINEERED | PRECISE | RELIABLE

[NIXADOORS.COM](https://nixadoors.com)



DESIGNED FOR MODERN ENVIRONMENTS.

The N100 Series is a prehung aluminum storefront door system built for durability, safety, and everyday performance in modern commercial spaces.



NIXADOORS.COM



N100 SERIES | SINGLE SWING | 2

DETAILS THAT WORK EVERY DAY



The N100 Series is an storefront door system engineered for modern commercial spaces that need clean design, controlled access, and long-lasting daily performance.

BUILT FOR



**Office
Suites**



**Conference
Rooms**




**Retail
Interiors**



**Commercial
Partitions**



**Medical &
Professional Spaces**




Reinforced Aluminum Frame

2.1 mm aluminum frame with 3.2 mm internal brackets supports durable commercial use.



Commercial Lever Handle

Lever-style commercial hardware provides secure access with a clean, modern interior look.




Interior Access Control

Keyed exterior access and interior thumb-turn support secure office control.




Advanced Sealing

998-grade silicone sealant helps create a durable weather-resistant bond.




Hidden Fastener Frame

Concealed channels create a clean finish with reduced visible hardware.




ADA Low-Profile Threshold

1/2 in. low-profile threshold supports smoother, more accessible entry.




Integrated Self- Closing System

Adjustable commercial closer supports smooth, controlled closing.



10 in. Kick Plate Protection

Heavy-duty kick plate helps protect against scuffs, carts, and foot traffic.



Laminated Safety Glass

1.3 mm PVB laminated glass improves safety, sound control, and impact resistance.



Continuous Hinge System

Full-height hinge helps maintain alignment and reduce sag.

N100 SERIES Single Swing

CONFIGURATIONS & TECHNICAL OVERVIEW



SWING OPTIONS



FINISH OPTIONS



TECHNICAL SPECIFICATIONS

Series	N100 Series Single Swing
Application	commercial storefront door system
Door Size	36 in. × 84 in.
Frame Size	40 1/2 in. × 87 in.
Door Thickness	1.8 in.
Lock Type	Lever-style commercial lockset, thumb-turn inside / keyed outside
Closing System	Adjustable commercial door self-closer
Glass	Laminated safety glass with PVB interlayer
Frame Material	Aluminum frame system
Handle	Lever-style commercial hardware
Threshold	1/2 in. low-profile threshold
Hinges	Continuous hinge
Kick Plate	10 in. heavy-duty kick plate

BUILT FOR COMMERCIAL SPACES

Designed for office suites,
conference rooms, retail stores,
medical spaces, and partitions.

